

9

Favorites

Fmail

Print

PDF

Understanding critical seismic stress conditions with reservoir modeling September 6, 2016

A significant increase in small-scale seismic activities has taken place in Texas since 2010. Although many of these activities are not 'felt' or cause damage, it is important to know the cause for such an increase.



Dr. Akhil Datta-Gupta, University Distinguished Professor in the Harold Vance Department of Petroleum Engineering at Texas A&M University, is leading a project to model reservoir behavior and in-situ stress conditions near faults. Datta-Gupta's efforts might determine if well activities such as fluid injection and production near a fault have a potential link with earthquakes, and his goal is to find the range of oil and gas operating conditions and geologic subsurface parameters that can lead to earthquake activities.

Joining Datta-Gupta on the project are Dr. Michael King, the LeSuer Chair in Reservoir Management in the department, and Dr. Jihoon Kim, an assistant professor in <u>petroleum</u> <u>engineering</u>.

Earlier this year Gov. Greg Abbot appointed a committee to oversee the purchase and deployment of seismic equipment across Texas. The committee will advise the Bureau of Economic Geology at the University of Texas at Austin, in conjunction with the TexNet Seismic Monitoring Program, on creating the seismic network that will provide data to Datta-Gupta. Datta-Gupta's project will handle the modeling of reservoir behavior for systems of wells in the vicinity of faults in Azle, Texas, where there has been recent incidents of seismic activity, and submit findings to the committee.

"Earthquakes are typically caused by activations of fault systems or fault networks," said Datta-Gupta. "These faults are activated whenever there is a change in stress conditions. Some of these

faults may be in critical stress, so it wouldn't take much to actually cause a fault slip, which could trigger seismic activity."

Fluid injections are one potential trigger. Oil and gas production often produces significant amounts of brackish water and this water is either injected back into the formation in a process called water flooding, or taken to a regulated waste fluid disposal well, often hundreds of miles away, and injected there.

According to The United States Geological Survey, of the more than 150,000 Class II injection wells in the United States, roughly 40,000 are waste fluid disposal wells for oil and gas operations. Only a small fraction of these disposal wells have induced earthquakes that are large enough to be of concern to the public.



Download Your Free Guide Today

Pipe color coding standards set by ANSI & ASME

Datta-Gupta is studying one of the few known areas that might help understand that small fraction. He is concentrating his research on Azle, Texas because the area around it experienced several magnitude 2 or greater earthquakes during 84 days from November 2013 to January 2014. There are two disposal wells in the area that could possibly be linked to the activity.

"There are two main goals," said Datta-Gupta. "First, the bureau will monitor (the seismic network) to document and catalog any seismic activity, particularly of magnitude 2 or greater. The second determines potential linkage between fluid injection and the seismic activities (through modeling)."

Datta-Gupta's project will use seismic data from the bureau, data from wells drilled nearby and publicly available geologic information to construct threedimensional computer models of the subsurface. He will then model the fluid flow through the subsurface and look for critical stress factors.

"We are not here to make a definite prediction, such as: if you do this then this will happen," he said. "What we are mainly looking at is the sensitivity. A major part of this, I think, is to understand boundaries. What are the ranges of subsurface and operating parameters that might lead to some sort of

\$FLIR



12 THINGS TO KNOW BEFORE BUYING A FIERMAL CAMERA

GET THE GUIDEBOOK NOW!

| Featured | Last comments | Popular | | | | |
|---|---------------|---------|--|--|--|--|
| Earth's carbon points to planetary smashup Sep 05, 2016 18 | | | | | | |

connection between fluid injection and seismicity?"

Datta-Gupta began digitally modeling subsurface activities while working toward his master's degree at the University of Texas, and was in on the ground floor of the widely used UTCHEM program for modeling chemically enhanced oil recovery. Years later, he worked with King while at BP to create a faster modeling process called streamline simulation which is now routinely used in reservoir engineering practice.

Modeling has become his specialty.

"We can put in all these complexities when it comes to geologic heterogeneity, and we can do the computations at a much faster pace if we focus on the dominant physics," said Datta-Gupta. "What are the major flow paths in the subsurface? How fast is fluid flowing through these flow paths? With streamlines, we think of the reservoir as made up of highways. How long does it take the fluid to flow on these highways and where are these highways going?"

Now that he and King are both professors at Texas A&M, they have collaborated on a streamline modeling textbook, the Modeling Calibration and Efficient Reservoir Imaging joint industry project, and novel approaches to model pressure propagation in unconventional reservoirs.

"My students apply the basic principles they learned in high school—mass is conserved, energy is conserved and momentum is conserved," Datta-Gupta said. "The question is how these principles translate into solving practical problems. That's what engineering is all about. You take a knowledge base and then translate it into mathematical equations. Then you solve them to answer specific questions."

Explore further: US mid-continent seismicity linked to high-rate injection wells

Provided by: Texas A&M University





Move over Nessie: Real Scottish sea monster uncovered Sep 05, 2016 0



New genus of bacteria found living inside hydraulic fracturing wells Sep 05, 2016 0



50-year study pinpoints countries where women are doing the least housework Sep 05, 2016 3



Quantum mechanics technique allows for pushing past 'Rayleigh's curse' Sep 05, 2016 4

more »



| Phys.or | Phys.org on facebook | | | | |
|---------|---|--|--|--|--|
| ŵ | You and 1.3M others like this. Juan Garcia and 1.3M others like this. | | | | |

| Relevant PhysicsForums posts | | | | | |
|--|--|--|--|--|--|
| Ice circles - and now their jungle cousins 1 hour ago | | | | | |
| Hermine Predictions 12 hours ago | | | | | |
| M 7.1 just offshore NE Nth Isl, New Zealand 13 hours ago | | | | | |
| Mag 5.6 Earthquake, Pawnee, Oklahoma Sep 04, 2016 | | | | | |
| How much time is needed for plate tectonics to subdue everything? Aug 31, 2016 | | | | | |

More from Earth

×

Instant Guide Download

Free wall-chart shows you how to do it the right way.



November 10, 2015

Related Stories



US mid-continent seismicity linked to high-rate injection wells June 18, 2015

Using computer analysis prior to drilling could limit seismic events as a result of hydraulic fracturing, according to new research

A dramatic increase in the rate of earthquakes in the central and eastern U.S. since 2009 is associated with fluid injection wells used in oil and gas development, says a new study by the University of Colorado Boulder and ...



Recommended for you

September 6, 2016

trees in the African savanna.

Some islands started in diamond-bearing regions under continents, geochemists say

September 6 2016

Browsing antelope turned ancient African forests into grassy savanna ecosystems

The arrival of medium and large antelope on African soil coincides dramatically with the evolution of thorn



The raw materials of some volcanic islands are shaped by some of the same processes that form diamonds deep under the continents, according to a new study. The study asserts that material from diamond-forming regions journeys ...

Fracking-not wastewater disposal-linked to most induced earthquakes in Western Canada

published in the Canadian Geotechnical Journal.

March 29, 2016

Experts recommend modeling to avoid earthquakes resulting from fracking

A survey of a major oil and natural gas-producing region in Western Canada suggests a link between hydraulic fracturing or "fracking" and induced earthquakes in the region, according to a new report published online in the ...



Mysteries of volcanic avalanches unlocked September 6, 2016

Massey University researchers have made the first observations of the internal structure of volcanic flows, which are responsible for fifty per cent of volcanic fatalities and endanger half a billion people worldwide.

User comments

Please sign in to add a comment. Registration is free, and takes less than a minute. Read more

Click here to reset your password. Sign in to get notified via email when new comments are made.



| - | Гор | Help | Phys.org Account | Feature Stories | iPhone iPad Apps | Connect |
|---|----------------|---------|-------------------|-----------------|----------------------|---------|
| ł | Home | FAQ | Sponsored Account | Latest news | Blackberry App | |
| r | Medical Xpress | About | Newsletter | Week's top | Android App & Widget | |
| 5 | Search | Contact | RSS feeds | Archive | Amazon Kindle | |
| | | | | | Mobile version | |
| | | | | | | |

© Phys.org 2003 - 2016, Science X network

Privacy Policy Terms of Use