Modern and Ancient Environments:
Bureau of Economic Geology and
The University of Texas at Austin Experience in
Environmental Analysis,
from the Modern to the Ancient

October 1997

Modern and Ancient Environments: Bureau of Economic Geology and The University of Texas at Austin Experience in Environmental Analysis, from the Modern to the Ancient

Modern Deltaic Environments

- Achalabhuti, Charan, 1973, Pleistocene depositional systems of central Texas Coastal Zone: The University of Texas at Austin, Master's thesis.
- Bernard, H. A., Major, C. F., Jr., Parrott, B. S., and LeBlanc, R. J., Sr., 1970, Recent sediments of southeast Texas: a field guide to the Brazos alluvial and deltaic plains and the Galveston barrier island complex: The University of Texas at Austin, Bureau of Economic Geology Guidebook 11, 132 p.
- Blum, M. D., 1992, Modern depositional environments and Recent alluvial history of the Lower Colorado River, Gulf Coastal Plain of Texas: The University of Texas at Austin, Geography Department, Ph.D. dissertation.
- Brown, L. F., Jr., and Fisher, W. L., 1969, Delta systems in other basins, *in* Fisher, W. L., and others, Delta systems in the exploration for oil and gas: a research colloquium: The University of Texas at Austin, Bureau of Economic Geology, p. 67-188.
- Brown, L. F., Brewton, J. L., Evans, T. J., McGowen, J. H., White, W. A., Groat, C. G., and Fisher, W. L., 1980, Environmental Geologic Atlas of the Texas Coastal Zone—Brownsville-Harlingen area: The University of Texas at Austin, Bureau of Economic Geology, 140 p.
- Brown, L. F., Brewton, J. L., McGowen, J. H., Evans, T. J., Fisher, W. L., and Groat, C. G., 1976, Environmental Geologic Atlas of the Texas Coastal Zone—Corpus Christi area: The University of Texas at Austin, Bureau of Economic Geology, 123 p.
- Brown, L. F., McGowen, J. H., Evans, T. J., Groat, C. G., and Fisher, W. L., 1977, Environmental Geologic Atlas of the Texas Coastal Zone—Kingsville area: The University of Texas at Austin, Bureau of Economic Geology, 131 p.
- Connally, T. C., Jr., 1981, A facies analysis of the Modern Colorado Delta, Matagorda County, Texas: The University of Texas at Austin, Master's thesis.

- Fisher, W. L., 1969, Facies characterization of Gulf Coast Basin delta systems, with some Holocene analogues: Gulf Coast Association of Geological Societies Transactions, v. 19, p. 239-261.
- Fisher, W. L., 1969, Gulf Coast Basin Tertiary delta systems, *in* Fisher, W. L., and others, Delta systems in the exploration for oil and gas: a research colloquium: The University of Texas at Austin, Bureau of Economic Geology, p. 30-39.
- Fisher, W. L., 1973, Deltaic sedimentation, salt mobilization, and growth faulting in the Gulf Coast Basin (abs.): AAPG Bulletin, v. 57, p. 779.
- Fisher, W. L., 1974, Delta systems: genetic analysis in exploration (abs.): AAPG Annual Meetings Abstracts, v. 1, p. 33-34.
- Fisher, W. L., and Brown, L. F., Jr., 1969, Delta systems and oil and gas occurrence, *in* Fisher, W. L., and others, Delta systems in the exploration for oil and gas: a research colloquium: The University of Texas at Austin, Bureau of Economic Geology, p. 54-66.
- Fisher, W. L., and Brown, L. F., Jr., 1972, Clastic depositional systems—a genetic approach to facies analysis: The University of Texas at Austin, Bureau of Economic Geology, 230 p.
- Fisher, W. L., Brown, L. F., Jr., Scott, A. J., and McGowen, J. H., 1969, Delta systems in the exploration for oil and gas: a research colloquium: The University of Texas at Austin, Bureau of Economic Geology, 212 p.
- Fisher, W. L., Brown, L. F., Jr., McGowen, J. H., and Groat, C. G., 1973, Environmental Geologic Atlas of the Texas Coastal Zone—Beaumont-Port Arthur area: The University of Texas at Austin, Bureau of Economic Geology, 93 p.
- Fisher, W. L., McGowen, J. H., Brown, L. F., Jr., and Groat, C. G., 1972, Environmental Geologic Atlas of the Texas Coastal Zone—Galveston-Houston area: The University of Texas at Austin, Bureau of Economic Geology, 91 p.
- Folk, R. L., and Ward, W. C., 1957, Brazos River bar–a study in the significance of grain size parameters: Journal of Sedimentary Petrology, v. 27, p. 3-26.
- Frazier, D. E., 1974, Depositional-episodes: their relationship to the Quaternary stratigraphic framework in the northwestern portion of the Gulf Basin: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 74-1, 28 p.
- Galloway, W. E., 1975, Process framework for describing the morphologic and stratigraphic evolution of deltaic depositional systems, *in* Broussard, M. L., ed., Deltas: models for exploration: Houston Geological Society, p. 87-98.
- Galloway, W. E., 1976, Sediments and stratigraphic framework of the Copper River fan delta: Journal of Sedimentary Petrology, v. 46, p. 726-737.

- Galloway, W. L., and Hobday, D. K., 1996, Delta systems, *in* Galloway, W. L., and Hobday, D. K., Terrigenous clastic depositional systems (2nd ed.): New York, Springer-Verlag, p. 91-125.
- Kosters, E. C., 1989, Organic-clastic facies relationships and chronostratigraphy of the Barataria Interlobe Basin, Mississippi delta plain: Journal of Sedimentary Petrology, v. 59, p. 98-113.
- Kosters, E. C., and Suter, J. R., 1993, Facies relationships and systems tracts in the late Holocene Mississippi Delta plains: Journal of Sedimentary Petrology, v. 63, p. 727-733.
- Lohse, E. A., 1952, Shallow marine sediments of the Rio Grande delta: The University of Texas at Austin, Ph.D. dissertation, 113 p.
- McGowen, J. H., 1970, Gum Hollow fan delta, Nueces Bay, Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 69, 91 p.
- McGowen, J. H., 1971, Alluvial fans and fan deltas: depositional models for some terrigenous clastic wedges (abs.): AAPG Bulletin, v. 55, p. 155.
- McGowen, J. H., and Garner, L. E., 1969, Comparison of recent and ancient coarse-grained point bars (abs.): American Association of Petroleum Geologists Bulletin, v. 53, no. 3, p. 731–732.
- McGowen, J. H., and Garner, L. E., 1975, Physiographic features and stratification types of coarse-grained point bars: modern and ancient examples: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 75-9, 27 p.
- McGowen, J. H., Brown, L. F., Jr., Evans, T. J., Fisher, W. L., and Groat, C. G., 1976, Environmental Geologic Atlas of the Texas Coastal Zone—Bay City-Freeport area: The University of Texas at Austin, Bureau of Economic Geology, 98 p.
- McGowen, J. H., Proctor, C. V., Jr., Brown, L. F., Jr., Evans, T. J., Fisher, W. L., and Groat, C. G., 1976, Environmental Geologic Atlas of the Texas Coastal Zone—Port Lavaca area: The University of Texas at Austin, Bureau of Economic Geology, 107 p.
- Morton, R. A., state compiler, 1991, Historical shoreline change in the northern Gulf of Mexico, compiled by Westphal, K. A., Hiland, M. W., and McBride, R. A.: Louisiana Geological Survey, map prepared for the Coastal Erosion Subcommittee, U.S. Environmental Protection Agency, Gulf of Mexico Program, 1 sheet, scale 1:2,000,000.
- Morton, R. A., 1993, Sequence stratigraphy and composition of late Quaternary shelf-margin deltas, High Island area, offshore Texas: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for the U.S. Department of the Interior, Minerals Management Service, under cooperative agreement nos. 14-35-0001-30534 and 14-35-0001-30643, 66 p.

- Morton, R. A., 1997, Gulf shoreline movement between Sabine Pass and the Brazos River, Texas: 1974 to 1996: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 97-3, 46 p.
- Morton, R. A., and Ayers, W. B., Jr., 1992, Plio-Pleistocene genetic sequences of the southwestern Louisiana continental shelf and slope: geologic framework, sedimentary facies, and hydrocarbon distribution: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 210, 77 p., 3 pl.
- Morton, R. A., and Donaldson, A. C., 1972, Evolution of tidal deltas along a tide dominated shoreline (abs.): Geological Society of America, Abstracts with Programs, v. 4, no. 7, p. 604.
- Morton, R. A., and Donaldson, A. C., 1974, Modern and ancient shallow-water deltas— Texas Gulf Coast (Holocene) and northern West Virginia (Pennsylvanian) (abs.): AAPG Annual Meeting, Abstracts, v. 1, p. 65–66.
- Morton, R. A., and Donaldson, A. C., 1978, The Guadalupe River and delta of Texas— a modern analogue for some ancient fluvial-deltaic systems, *in* Miall, A. D., ed., Fluvial sedimentology: Canadian Society of Petroleum Geologists, Memoir 5, p. 773-787.
- Morton, R. A., and Donaldson, A. C., 1978, Hydrology, morphology, and sedimentology of the Guadalupe fluvial-deltaic system: Geological Society of America Bulletin, v. 89, p. 1030-1036.
- Morton, R. A., and McGowen, J. H., 1980, Modern depositional environments of the Texas coast: The University of Texas at Austin, Bureau of Economic Geology Guidebook 20, 167 p.
- Morton, R. A., and Pieper, M. J., 1975, Shoreline changes in the vicinity of the Brazos River delta (San Luis Pass to Brown Cedar Cut): The University of Texas at Austin, Bureau of Economic Geology Geological Circular 76-4, 42 p.
- Morton, R. A., and Suter, J. R., 1994, Sequence stratigraphic implications of Quaternary shelf-margin deltas, High Island area, northwestern Gulf of Mexico (abs.), *in* AAPG Annual Convention official program: analogs for the world: Denver, American Association of Petroleum Geologists, p. 218.
- Morton, R. A., and Suter, J. R., 1996, Sequence stratigraphy and composition of late Quaternary shelf-margin deltas, northern Gulf of Mexico: American Association of Petroleum Geologists Bulletin, v. 80, no. 4, p. 505–530.
- Morton, R. A., and White, W. A., 1983, Coastal field trip, Corpus Christi area: The University of Texas at Austin, Bureau of Economic Geology, guidebook prepared for Austin Geological Society field trip, May 14–15, 1983, 24 p.

- Morton, R. A., and White, W. A., 1995, Evolution of incised coastal plain rivers, southeast Texas coast (abs.), *in* Linked Earth systems: Congress program and abstracts, vol. 1: St. Pete Beach, Florida, SEPM (Society for Sedimentary Geology), p. 93.
- Morton, R. A., and White, W. A., 1997, Characteristics of and corrections for core shortening in unconsolidated sediments: Journal of Coastal Research, v. 13, no. 3, p. 761–769.
- Morton, R. A., Blum, M. D., and White, W. A., 1996, Valley fills of incised coastal plain rivers, southeastern Texas: Gulf Coast Association of Geological Societies Transactions, v. 46, p. 321–331.
- Munson, M. G., 1975, Tidal delta facies relationships, Harbor Island, Texas: The University of Texas at Austin, Master's thesis, 126 p.
- Muzny, R. T., Jr., 1975, Application of selected morphological, stratigraphic, and botanical criteria to distinguish floodplain and terrace deposits in Guadalupe River Valley, eastern Comal County, Texas: The University of Texas at Austin, Master's thesis, 96 p., 2 plates.
- Nelson, R. H., 1985, Evolution of Laborcita Formation fan-deltas, Sacramento Mountains, New Mexico: The University of Texas at Austin, Master's thesis.
- O'Connell, J. F., 1983, The shoreline variability measurement technique: The University of Texas at Austin, Master's thesis, 83 p.
- Paine, J. G., 1987, Late Quaternary development of the San Jacinto River valley margin at Peggy Lake, upper Texas coast: Gulf Coast Association of Geological Societies Transactions, v. 37, p. 433-442.
- Paine, J. G., Morton, R. A., and Garner, L. E., 1996, Site dependency of shallow seismic data quality in beach, floodplain, and marsh environments on the Texas Coastal Plain (abs.): Geological Society of America, South-Central Section, Abstracts with Programs, v. 28, no. 1, p. 57.
- Price, W. A., 1936, Hurricanes, deltas, and resacas (abs.): Texas Academy of Science, Transactions and Proceedings 1934-35, v. 19, p. 30-31.
- Price, W. A., 1938, Geology of the Rio Grande delta, Texas and Mexico, interpreted by geomorphology and soils (abs.): Oil and Gas Journal, v. 36, p. 71.
- Price, W. A., 1939, Physiographic mapping of Quaternary formations in Rio Grande Delta (abs.): AAPG Bulletin, v. 23, p. 1975-1976.
- Prieto Cedraro, R., 1987, Seismic stratigraphy and depositional systems of the Orinoco Platform Area, northeastern Venezuela: The University of Texas at Austin, Ph.D. dissertation, 144 p.

- Pulich, W. M., and White, W. A., 1989, Decline of submerged vascular plants in the Galveston Bay system: chronology and relationships to physical processes (abs.), *in* 10th Biennial International Estuarine Research Conference abstracts: Baltimore, Estuarine Research Federation, p. 65.
- Scott, A. J., and Fisher, W. L., 1969, Delta systems and deltaic deposition, *in* Fisher, W. L., and others, Delta systems in the exploration for oil and gas: a research colloquium: The University of Texas at Austin, Bureau of Economic Geology, p. 10-29.
- Spradlin, S. D., 1980, Miocene fluvial systems; southeast Texas: The University of Texas at Austin, Master's thesis.
- Suter, J. R., Morton, R. A., and Penland, Shea, 1989, Coastal depositional systems, Northwest Gulf of Mexico, Field Trip Guidebook T370 (New Orleans, Louisiana, to Houston, Texas): American Geophysical Union, 52 p.
- Tremblay, T. A., 1992, A GIS study of cumulative wetland habitat change: the Virginia Point quadrangle, Galveston County, Texas: The University of Texas at Austin, Master's thesis, 106 p.
- Wadsworth, A. H., Jr., 1941, The lower Colorado River, Texas: University of Texas, Master's thesis, 61 p.
- Weber, G. E., 1968, Geology of the fluvial deposits of the Colorado River Valley, Central Texas: The University of Texas at Austin, Master's thesis.
- Weise, B. R., and White, W. A., 1980, Padre Island National Seashore—a guide to the geology, natural environments, and history of a Texas barrier island: The University of Texas at Austin, Bureau of Economic Geology Guidebook 17, 94 p.
- Wermund, E. G., White, W. A., Calnan, T. R., and Morton, R. A., 1989, Mapping offshore coastal areas: "The Submerged Lands of Texas Atlas"—a review: Ocean and Shoreline Management, v.12, p. 411–426.
- Westphal, K. A., Penland, S., Seal, R. W., and Morton, R. A., 1992, Aerial videotape survey of coastal Texas and Louisiana: Center for Coastal, Energy, and Environmental Resources, Louisiana State University, Coastal Geology Map Series No. 13, 210 p.
- White, W. A., and Calnan, T. R., 1987, Colorado River Diversion Project, reconnaissance work to establish monitoring stations in Matagorda Bay near the mouth of the Colorado River: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for the Texas Parks and Wildlife Department under contract no. IAC(86-87)-1756, 10 p.
- White, W. A., and Calnan, T. R., 1988, Fluvial-estuarine sedimentation, Texas Gulf Coast: literature synthesis: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for Texas Parks and Wildlife Department, Resource Protection Division, in accordance with interagency contract no. IAC(88-89)-0820, 276 p. + 52-p. appendix.

- White, W. A., and Calnan, T. R., 1988, Marsh sedimentation, Colorado and Trinity River deltas, Texas Gulf Coast: field studies: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for Texas Parks and Wildlife Department, Resource Protection Division, in accordance with Interagency contract no. IAC(88-89)-0820, 68 p. + 3 appendices.
- White, W. A., and Calnan, T. R., 1990, Sedimentation and historical changes in fluvial-deltaic wetlands along the Texas Gulf Coast with emphasis on the Colorado and Trinity River deltas: The University of Texas at Austin, Bureau of Economic Geology, report prepared for the Texas Parks and Wildlife Department, Resource Protection Division, in accordance with interagency contract no. IAC(88-89)-1423, 124 p.
- White, W. A., and Calnan, T. R., 1990, Sedimentation in fluvial-deltaic wetlands and estuarine areas, Texas Gulf Coast—literature synthesis: The University of Texas at Austin, Bureau of Economic Geology, report prepared for the Texas Parks and Wildlife Department, Resource Protection Division, in accordance with interagency contract nos. IAC(88-89)-0820 and IAC(88-89)-1423, 261 p.
- White, W. A., and Calnan, T. R., 1990, Sedimentation in fluvial-deltaic wetlands and estuarine areas, Texas Gulf Coast—summary: The University of Texas at Austin, Bureau of Economic Geology, report prepared for the Texas Parks and Wildlife Department, Resource Protection Division, in accordance with Interagency contract nos. IAC(88-89)-0820 and IAC(88-89)-1423, 34 p.
- White, W. A., and Calnan, T. R., 1991, Submergence of vegetated wetlands in fluvial-deltaic areas, Texas Gulf Coast (extended abstract), in Coastal depositional systems in the Gulf of Mexico: Quaternary framework and environmental issues: 12th Annual Research Conference, Gulf Coast Section, Society of Economic Paleontologists and Mineralogists Foundation, program with extended and illustrated abstracts: Society of Economic Paleontologists and Mineralogists Foundation, Gulf Coast Section, p. 278–279.
- White, W. A., and Morton, R. A., 1983, Use of textural and geochemical relationships in nearshore sediments to delineate anomalous trace element concentrations (abs.): Geological Society of America, Abstracts with Programs, v. 15, no. 2, p. 57.
- White, W. A., and Morton, R. A., 1993, Determining recent sedimentation rates of the Trinity River, Texas: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for the Texas Water Development Board, 50 p. + 3 app.
- White, W. A., and Morton, R. A., 1995, Determining recent sedimentation rates of the Lavaca–Navidad River system, Texas: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for the Texas Water Development Board under Research and Planning Fund Grant contract no. 94-483-013, 76 p. + 5 app.
- White, W. A., and Morton, R. A., 1996, Determining recent sedimentation rates of the Nueces River system, Texas: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for the Texas Water Development Board under Research and Planning Fund Grant Contract No. 95-483-075, 95 p.

- White, W. A., and Morton, R. A., 1987, Historical shoreline changes in San Antonio, Espiritu Santo, and Mesquite Bays, Texas Gulf Coast: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 87-1, 41 p.
- White, W. A., and Morton, R. A., 1997, Comparison of ²¹⁰Pb-derived sedimentation rates in differing fluvial-deltaic settings, Texas Gulf Coast (abs.), *in* Abstracts: Association of American Geographers Annual Meeting, p. 284.
- White, W. A., Gustavson, T. C., McGowen, J. H., and Morton, R. A., 1979, Map display formats for environmental geologic and related data, *in* Our ideas find oil (abs.): Program for annual convention of American Association of Petroleum Geologists, and Society of Economic Paleontologists and Mineralogists, p. 188–189. *And in* American Association of Petroleum Geologists Bulletin, v. 63, no. 5, p. 552–553.
- Winker, C. D., 1975, Late Pleistocene fluvial-deltaic deposition, Texas coastal plain and shelf: The University of Texas at Austin, Master's thesis, 187 p.

Modern Nondeltaic Environments

- Andrews, P. B., 1970, Facies and genesis of a hurricane washover fan, St. Joseph Island, central Texas coast: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 67, 147 p.
- Blum, M. D., 1987, Late Quaternary sedimentation in the Upper Pedernales River: The University of Texas at Austin, Master's thesis.
- Blum, M. U., 1994, Eolian deposits in Hall County, Texas: GIS evaluation for paleoclimatic research: The University of Texas at Austin, Master's thesis, 62 p.
- Brown, L. F., Jr., Morton, R. A., McGowen, J. H., Kreitler, C. W., and Fisher, W. L., 1974, Natural hazards of the Texas Coastal Zone atlas: The University of Texas at Austin, Bureau of Economic Geology, 14 p.
- Bullard, F. M., 1942, Source of beach and river sands on Gulf Coast of Texas: Geological Society of America Bulletin, v. 53, p. 1021-1043.
- Crabaugh, M. M. C., 1994, Controls on accumulation in modern and ancient wet eolian systems: The University of Texas at Austin, Ph.D. dissertation.
- Davis, R. A., Andronaco, M., and Gibeaut, J. C., 1990, Formation and development of a tidal inlet from a washover fan, west-central Florida coast: Sedimentary Geology, v. 65, p. 87-94.
- Davis, R. A., Jr., Inglin, D. C., Gibeaut, J. C., Creaser, G. J., Haney, R. L., and Terry, J. B., 1993, Performance of three adjacent but different beach nourishment projects, Pinellas County, Florida, *in* Coastal Zone '93: Proceedings, 8th Symposium on Coastal and Ocean Management: American Shore and Beach Preservation Association/ASCE, p. 379–389.
- Everett, Rizer, 1969, Irrigation potential in the Coastal Bend Region, Texas, 1975-2000 A. D.: The University of Texas at Austin, Master's thesis, 87 p.
- Galloway, W. E., 1982, Depositional architecture of Cenozoic Gulf Coastal Plain fluvial systems: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 82-5, 29 p.
- Gibeaut, J. C., 1991, Morphodynamic classification, evolution, and modeling of unstructured inlets in west-central Florida: Tampa, Florida, University of South Florida, Ph.D. dissertation, 192 p.
- Gibeaut, J. C., and Davis, R. A., Jr., 1993, Statistical geomorphic classification of ebb-tidal deltas along the west-central Florida coast: Journal of Coastal Research, Special Issue No. 18, p. 165-184.

- Gibeaut, J. C., and Davis, R. A., Jr., 1991, Computer simulation modeling of ebb-tidal deltas, in ASCE Coastal Sediments 1991: Seattle, Washington, American Society of Civil Engineers, p. 1389-1403.
- Gibeaut, J. C., and Davis, R. A., Jr., 1988, Morphodynamic classification of tidal inlets, in Proceedings of the Beach Preservation Technology '88 Conference: Florida Shore and Beach Preservation Association, p. 221-229.
- Gibeaut, J. C., and Inglin, D. C., 1992, Honeymoon Island phase three: sand source investigation of Hurricane Pass ebb-tidal delta: University of South Florida Coastal Research Laboratory, 30 p.
- Gibeaut, J. C., Slatton, K. C., Crawford, M. M., and Gutierrez, Roberto, 1996, Mapping depositional environments on barrier island using airborne synthetic aperture radar (abs.): Geological Society of America, South-Central Section, Abstracts with Programs, v. 28, no. 1, p. 14.
- Gibeaut, J. C., Slatton, K. C., Crawford, M. M., Gutierrez, Roberto, and White, W. A., 1996, Geomorphic analysis and depositional environment mapping of barrier island systems using AIRSAR (abs.), in 1996 spring meeting program: American Geophysical Union, p. S263.
- Gundlach, E. R., Pavia, E. A., Robinson, C., and Gibeaut, J. C., 1991, Shoreline surveys at the Exxon *Valdez* oil spill—the State of Alaska response, *in* Proceedings of the 1991 International Oil Spill Conference, San Diego, California: American Petroleum Institute, p. 519–529.
- Gustavson, T. C., Paine, J. G., Avakian, A. J., Hovorka, S. D., and Richter, B. C., 1993, Natural salt-water pollution of the Canadian River, New Mexico and Texas: source identification using chemical, geophysical, and structural data (abs.): Geological Society of America, Abstracts with Programs, v. 25, no. 6, p. A-368.
- Hibbs, B. J., 1993, Numerical modeling and hydrological analysis of floodplain hydrogeology, bank storage interactions, and underflow in the Colorado River alluvial aquifer: The University of Texas at Austin, Ph.D. dissertation.
- Hickson, T. A., 1990, Geomorphic effects of Hurricane Gilbert, Huisache River drainage, Nuevo Leon, Mexico: The University of Texas at Austin, Master's thesis, 197 p.
- Hoover, R. A., 1968, Physiography and surface sediment facies of a recent tidal delta, Harbor Island, Central Texas Coast: The University of Texas at Austin, Ph.D. dissertation, 184 p.
- Kier, R. S., and White, W. A., 1978, Land and water resources of the Corpus Christi area: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 95, 22 p.
- Kier, R. S., White, W. A., Fisher, W. L., and Bell, D., 1974, Resource capability units I: assessment of locational effects of residential, commercial, and industrial expansion in the

- Corpus Christi area, Texas—methodology: The University of Texas at Austin, Division of Natural Resources and Environment, 152 p.
- Kier, R. S., White, W. A., Bell, W. L., Patton, P. C., and Woodman, J. T., 1974, Resource capability units II: land resources of the Coastal Bend region, Texas: The University of Texas at Austin, Division of Natural Resources and Environment, 266 p.
- Kreitler, C. W., White, W. A., and Akhter, M. S., 1988, Land subsidence associated with hydrocarbon production, Texas Gulf Coast (abs.): American Association of Petroleum Geologists Bulletin, v. 72, no. 2, p. 208.
- McGowen, J. H., and Morton, R. A., 1979, Sediment distribution, bathymetry, faults, and salt diapirs, submerged lands of Texas: The University of Texas at Austin, Bureau of Economic Geology Special Publication, 31 p.
- McGowen, J. H., and Morton, R. A., 1979, Textural analysis of marine benthic sediments, state-owned submerged lands: The University of Texas at Austin, Bureau of Economic Geology, open-file report no. OF-BD-1979-1, 123 p.
- Morton, R. A., 1974, Shoreline changes on Galveston Island (Bolivar Roads to San Luis Pass): The University of Texas at Austin, Bureau of Economic Geology Geological Circular 74-2, 34 p.
- Morton, R. A., 1975, Shoreline changes between Sabine Pass and Bolivar Roads: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 75-6, 43 p.
- Morton, R. A., 1976, Historical monitoring program, in Methodology to evaluate alternative management policies: application in the Texas Coastal Zone: The University of Texas at Austin, Center for Research in Water Resources, final report, v. 2, part a, section c, p. 28–36.
- Morton, R. A., 1977, Historical shoreline changes and their causes, Texas Gulf Coast: Gulf Coast Association of Geological Societies Transactions, v. 27, p. 352–364. *Reprinted as* Bureau of Economic Geology Geological Circular 77-6, 13 p.
- Morton, R. A., 1991, Accurate shoreline mapping: past, present, and future, in Coastal Sediments '91: American Society of Civil Engineers, p. 997–1010.
- Morton, R. A., 1993, Historical shoreline change along segments of the Texas coastline: The University of Texas at Austin, Bureau of Economic Geology, shoreline map prepared for Texas General Land Office, 1 sheet, scale 1:125,000.
- Morton, R. A., 1996, Geoindicators of coastal wetlands and shorelines, in Berger, A. R., and Iams, W. J., eds., Geoindicators: assessing rapid environmental changes in earth systems: Rotterdam, A. A. Balkema, p. 207–230.

- Morton, R. A., 1996, Geological and historical development of Sabine Lake—an overview, *in* Proceedings, Sabine Lake Conference: Where Texas and Louisiana come together: p. 32–34.
- Morton, R. A., 1996, Global impacts of mining and urbanization on coastal systems —a conceptual model (abs.): Geological Society of America Abstracts with Programs, v. 28, no. 7, p. A80.
- Morton, R. A., 1981, Formation of storm deposits by wind-forced currents in the Gulf of Mexico and the North Sea: International Association of Sedimentologists Special Publication 5, p. 385–396.
- Morton, R. A., and Amdurer, M., 1974, Environmental geology in coastal zone development: an analysis of physical properties and processes—San Jose, Mustang, and North Padre Islands, Texas: The University of Texas at Austin, Bureau of Economic Geology, prepared for Sid W. Richardson Foundation, Fort Worth, Texas, 103 p.
- Morton, R. A., and Paine, J. G., 1990, Coastal land loss in Texas—an overview: Gulf Coast Association of Geological Societies Transactions, v. 40, p. 625–634.
- Morton, R. A., and Paine, J. G., 1985, Beach and vegetation-line changes at Galveston Island, Texas: erosion, deposition, and recovery from Hurricane Alicia: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 85-5, 39 p.
- Morton, R. A., and Pieper, M. J., 1975, Shoreline changes on Brazos Island and South Padre Island (Mansfield Channel to Mouth of the Rio Grande): The University of Texas at Austin, Bureau of Economic Geology Geological Circular 75-2, 39 p.
- Morton, R. A., and Pieper, M. J., 1976, Shoreline changes on Matagorda Island and San Jose Island (Pass Cavallo to Aransas Pass): The University of Texas at Austin, Bureau of Economic Geology Geological Circular 76-4, 42 p.
- Morton, R. A., and Pieper, M. J., 1977, Shoreline changes on Mustang Island and North Padre Island (Aransas Pass to Yarborough Pass): The University of Texas at Austin, Bureau of Economic Geology Geological Circular 77-1, 45 p.
- Morton, R. A., and Pieper, M. J., 1977, Shoreline changes on Central Padre Island (Yarborough Pass to Mansfield Channel): The University of Texas at Austin, Bureau of Economic Geology Geological Circular 77-2, 35 p.
- Morton, R. A., and White, W. A., 1995, Shoreline types of the upper Texas coast: Sabine—Galveston—Freeport—Sargent areas: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for the Texas Natural Resources Inventory Program, Texas General Land Office, Texas Natural Resource Conservation Commission, and Texas Parks and Wildlife Department under GLO contract no. 94-177R and Minerals Management Service Gulfwide Information Systems at Louisiana State University, CMI-30660-19901, 42 p.

- Morton, R. A., and White, W. A., 1997, Characteristics of and corrections for core shortening in unconsolidated sediments: Journal of Coastal Research, v. 13, no. 3, p. 761–769.
- Morton, R. A., Blum, M. D., and White, W. A., 1996, Valley fills of incised coastal plain rivers, southeastern Texas: Gulf Coast Association of Geological Societies Transactions, v. 46, p. 321–331.
- Morton, R. A., Pieper, M. J., and McGowen, J. H., 1976, Shoreline changes on Matagorda Peninsula (Brown Cedar Cut to Pass Cavallo): The University of Texas at Austin, Bureau of Economic Geology Geological Circular 76-6, 37 p.
- Morton, R. A., Pilkey, O. H., Jr., Pilkey, O. H., Sr., and Neal, W. J., 1983, Living with the Texas shore: Durham, North Carolina, Duke University Press, 190 p.
- Morton, R. A., and Winker, C. D., 1979, Distribution and significance of coarse biogenic and clastic deposits on the Texas inner shelf: Gulf Coast Association of Geological Societies Transactions, v. 29, p. 306–320. *Reprinted as* Bureau of Economic Geology Geological Circular 80-6, 15 p.
- Morton, R. A., Gibeaut, J. C., and Paine, J. G., 1995, Meso-scale transfer of sand during and after storms: implications for prediction of shoreline movement: Marine Geology, v. 126, p. 161–179.
- Morton, R. A., Gibeaut, J. C., and White, W. A., 1994, East Texas and western Louisiana coastal erosion study, year 3: The University of Texas at Austin, Bureau of Economic Geology, annual report prepared for the U.S. Geological Survey, under cooperative agreement no. 14-08-0001-A0912, variously paginated [201 p.].
- Morton, R. A., Paine, J. G., and Gibeaut, J. C., 1994, Stages and durations of post-storm beach recovery, southeastern Texas coast, U.S.A.: Journal of Coastal Research, v. 10, no. 4, p. 884–908.
- Morton, R. A., Gibeaut, J. C., White, W. A., and Gutierrez, Roberto, 1993, East Texas and western Louisiana coastal erosion study: year 2: The University of Texas at Austin, Bureau of Economic Geology, annual report prepared for the U.S. Department of the Interior, U.S. Geological Survey, under Cooperative Agreement No. 14-08-0001-A0912, variously paginated.
- Morton, R. A., Leach, M. P., Paine, J. G., and Cardoza, M. A., 1993, Monitoring beach changes using GPS surveying techniques: Journal of Coastal Research, v. 9, no. 3, p. 702–720.
- Morton, R. A., Tremblay, T. A., White, W. A., and White, W. G., 1995, Digital compilation of submerged lands, sediment textures, sediment geochemistry, and washover areas of the Texas coast: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for the Texas Natural Resources Inventory Program, Texas General Land Office, Texas Natural Resources Conservation Commission, and Texas Parks and Wildlife Department under interagency contract no. IAC 94-276, 35 p.

- Morton, R. A., White, W. A., Kerr, R. S., and Kuenzi, W. D., 1976, Geological aspects of barrier island development—Mustang and north Padre Islands, *in* Environmental and economic impacts of recreational community development, Mustang and north Padre Islands, example application III: The University of Texas at Austin, Division of Natural Resources and Environment, v. 11, chapter 3, 102 p.
- Morton, R. A., White, W. A., McGowen, J. H., and Nance, H. S., 1983, Sediments and geochemistry, *in* White, W. A., and others, Submerged lands of Texas, Corpus Christi area: sediments, geochemistry, benthic macroinvertebrates, and associated wetlands: The University of Texas at Austin, Bureau of Economic Geology Special Publication, p. 13–33.
- Paine, J. G., 1987, Appendix 6: The Swan Lake site (41AS16) and the Holocene highstand hypothesis, *in* Prewitt, E. R., Lisk, S. V., and Howard, M. A., National Register assessments of the Swan Lake site, 41AS16, on Copano Bay, Aransas County, Texas: Austin, Texas, Prewitt and Associates, Inc., Reports of Investigations No. 56, p. 243–253.
- Paine, J. G., 1987, Late Quaternary development of the San Jacinto River valley margin at Peggy Lake, upper Texas coast: Gulf Coast Association of Geological Societies Transactions, v. 37, p. 433–442.
- Paine, J. G., 1990, Appendix G: Late Quaternary geology of the Peggy Lake area, in Gadus, E. F., and Howard, M. A., Hunter-fisher-gatherers on the upper Texas coast: archeological investigations at the Peggy Lake disposal area, Harris County, Texas: Austin, Prewitt and Associates, Inc., Reports of Investigations No. 74, p. 375–400.
- Paine, J. G., 1990, Coastal plain development along the central Texas coast during the late Quaternary (abs.): Geological Society of America, Abstracts with Programs, v. 22, no. 7, p. A375.
- Paine, J. G., 1990, Recent vertical movement and sea-level changes, Texas Coastal Zone (abs.): Eos, v. 71, no. 17, p. 479–480.
- Paine, J. G., 1991, Late Quaternary depositional units, sea level, and vertical movement along the central Texas coast: The University of Texas at Austin, Ph.D. dissertation, 256 p.
- Paine, J. G., 1991, Sea level and vertical movement along the Texas coast: inferences from historical, Holocene, and Late Pleistocene sea levels (abs.), in Geological perspectives on global change: NASA and International Commission on the lithosphere, 1991 Geodynamics Research Institute Symposium Program and Abstracts, unpaginated.
- Paine, J. G., 1993, Subsidence of the Texas coast: inferences from historical and late Pleistocene sea levels: Tectonophysics, v. 222, no. 3/4, p. 445–458.
- Paine, J. G., 1994, Determining the role of subsidence in the formation of playa basins using shallow seismic reflection methods, in Urban, L. V., and Wyatt, A. W., eds.,

- Proceedings, Playa Basin Symposium: Texas Tech University, Water Resources Center, p. 53-62.
- Paine, J. G., and Morton, R. A., 1985, Barrier island response to major storms: erosion, deposition, and recovery at Galveston Island, Texas (abs.): Geological Society of America, Abstracts with Programs, v. 17, no. 7, p. 684.
- Paine, J. G., and Morton, R. A., 1986, Historical shoreline changes in Trinity, Galveston, West, and East Bays, Texas Gulf Coast: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 86-3, 58 p.
- Paine, J. G., and Morton, R. A., 1989, Hurricane washover channels between Padre Island National Seashore and the Port Aransas jetties, Kleberg and Nueces Counties, Texas: The University of Texas at Austin, Bureau of Economic Geology, report prepared for the South Texas Barrier Island Task Force, 6 p.
- Paine, J. G., and Morton, R. A., 1989, Shoreline and vegetation-line movement, Texas Gulf Coast, 1974 to 1982: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 89-1, 50 p.
- Paine, J. G., and Morton, R. A., 1991, Historical shoreline changes in the Galveston Bay system, *in* Shipley, F. S., and Kiesling, R. W., eds., Proceedings: Galveston Bay characterization workshop: The Galveston Bay National Estuary Program, Publication GBNEP-6, p. 165–167.
- Paine, J. G., and Morton, R. A., 1993, Historical shoreline changes in Copano, Aransas, and Redfish Bays, Texas Gulf Coast: The University of Texas at Austin, Bureau of Economic Geology, Geological Circular 93-1, 66 p.
- Paine, J. G., Avakian, A. J., and Gustavson, T. C., 1993, The use of electromagnetic methods to locate potential sources of highly saline water entering the Canadian River valley (abs.): AAPG Bulletin, v. 77, no. 9, p. 1576.
- Paine, J. G., Morton, R. A., and Garner, L. E., 1997, Site dependency of shallow seismic data quality in saturated, unconsolidated coastal sediments: Journal of Coastal Research, v. 13, no. 2, p. 564–574.
- Paine, J. G., Morton, R. A., and White, W. A., 1988, Preliminary assessment of nonfuel minerals on the Texas continental shelf: Louisiana State University, Minerals Management Service, final report prepared for Louisiana Geological Survey under contract no. 14-12-0001-30404, 66 p.
- Paine, J. G., Dutton, A. R., and Tweedy, S. W., 1997, Combining high resolution airborne and ground-based geophysical methods to identify salinity sources in West Texas (abs.), *in* Proceedings, High-Resolution Geophysics Workshop: Laboratory for Advanced Subsurface Imaging, The University of Arizona, Tucson, Arizona, unpaginated.

- Paine, J. G., Goldsmith, R. S., and Scanlon, B. R., 1995, Electrical conductivity and gamma ray response to clay, water, and chloride content in fissured sediments, Trans-Pecos Texas: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for the U.S. Department of Energy, National Low-Level Radioactive Waste Management Program, Assistant Secretary for Environmental Management, under DOE Idaho Operations Office Contract No. DE-AC07-95ID 13223 and Interagency Contract No. 94-0304, 52 p., variously paginated.
- Paine, J. G., Morton, R. A., and Garner, L. E., 1996, Site dependency of shallow seismic data quality in beach, floodplain, and marsh environments on the Texas Coastal Plain (abs.): Geological Society of America, South-Central Section, Abstracts with Programs, v. 28, no. 1, p. 57.
- Paine, J. G., Prewitt, E. R., and Valastro, S., Jr., 1987, Sea-level control of clay dune development at the Swan Lake site, Copano Bay, Texas: evidence for a Holocene highstand? (abs.): Geological Society of America, Abstracts with Programs, v. 19, no. 3, p. 175.
- Pilkey, O. H., Morton, R. A., Kelley, J. T., and Penland, Shea, 1989, Coastal land loss: American Geophysical Union, Short Course in Geology, v. 2, 73 p.
- Pilkey, O. H., Jr., Howard, J. D., Brenninkmeyer, Benno, Frey, R. W., Hine, A. C., Kraft, J. C., Morton, R. A., Nummedal, Dag, and Wanless, Harold, 1981, Saving the American beach: a position paper by concerned coastal geologists: Savannah, Georgia, Skidaway Institute of Oceanography Conference on America's Eroding Shoreline, 12 p.
- Prewitt, E. R., and Paine, J. G., 1988, The Swan Lake site (41AS16) on Copano Bay, Aransas County, Texas: settlement, subsistence, and sea level: Texas Archeological Society Bulletin, v. 58, p. 147–174.
- Pulich, W. M., and White, W. A., 1991, Decline of submerged vegetation in the Galveston Bay system: chronology and relationships to physical processes: Journal of Coastal Research, v. 7, no. 4, p. 1125–1138.
- Pulich, W., Jr., and White, W. A., 1995, Remote sensing and GIS analysis of seagrass landscape dynamics in a midcoastal Texas estuary (abs.), *in* Estuaries: bridges from watersheds to coastal seas: Estuarine Research Federation 13th Biennial International Conference, p. 106.
- Pulich, Warren, Jr., White, W. A., Castiglione, Marie, and Zimmerman, R. J., 1991, Status of submerged vegetation in the Galveston Bay system, *in* Shipley, F. S., and Kiesling, R. W., eds., Proceedings: Galveston Bay characterization workshop: The Galveston Bay National Estuary Program, Publication GBNEP-6, p. 127–132.
- Sharp, J. M., Jr., Raymond, R. H., Germiat, S. J., and Paine, J. G., 1991, Re-evaluation of the causes of subsidence along the Texas Gulf of Mexico coast and some extrapolations of future trends: Land Subsidence, IAHS Publication No. 200, p. 397–405.

- Short, J. W., Sale, D. M., and Gibeaut, J. C., 1996, Nearshore transport of hydrocarbons and sediments following the Exxon Valdez, *in* Rice, S. D., Spies, R. B., Wolfe, D. A., and Wright, B. A., eds., Proceedings, Exxon Valdez Oil Spill Symposium, American Fisheries Society, Symposium Number 18, p. 40–60.
- Simpson, R. H., and Morton, R. A., 1976, Hazard zone delineation for standard and codes, *in* Model minimum hurricane-resistant building standards for the Texas Gulf Coast: Texas Coastal and Marine Council, section 3, p. 1–12.
- Slatton, K. C., Crawford, M. M., Gibeaut, J. C., and Gutierrez, Roberto, 1996, Modeling wetland vegetation using polarimetric SAR, *in* Stein, T. I., ed., IGARSS '96, International Geoscience and Remote Sensing Symposium: remote sensing for a sustainable future: volume 1: Institute of Electrical and Electronics Engineers, Inc., IEEE Catalog Number 96CH35875, Library of Congress Number 95-80706, p. 263–265.
- Stewart, L. B., Morton, R. A., and Lagoe, M. B., 1996, Holocene development of the southeastern Texas coast, Sabine Lake area, from foraminiferal biofacies: Gulf Coast Association of Geological Societies Transactions, v. 46, p. 391–400.
- Tremblay, T. A., and White, W. A., 1994, Wetland trend analysis in the Galveston Bay estuary system, Texas (abs.), *in* Abstracts, Association of American Geographers 90th Annual Meeting: San Francisco, Association of American Geographers, p. 381–382.
- Webb, R. M. T., and Morton, R. A., 1996, Impacts of mining and urbanization along the north coast of Puerto Rico: a case study of the San Juan metropolitan area (abs.): Geological Society of America, Abstracts with Programs, v. 28, no. 7, A80.
- White, W. A., 1985, Textural and geochemical relationships in benthic sediments in three bayestuary-lagoon systems in Texas: Offshore Technology Conference 4905, p. 67–71 + 3-p. addendum.
- White, W. A., and Galloway, W. E., 1977, Guide to modern barrier environments of Mustang and north Padre Islands and Jackson (Eocene) barrier/lagoon facies of the South Texas Uranium District: The University of Texas at Austin, Bureau of Economic Geology Research Note 7, 51 p.
- White, W. A., and Morton, R. A., 1995, Active faults and their effect on wetlands (abs.), *in* Wetland understanding/wetland education: 16th annual meeting: Boston, Society of Wetland Scientists, p. 42–43.
- White, W. A., and Morton, R. A., 1996, Geomorphic change in wetlands as a result of subsidence along active surface faults, Texas Gulf Coast (abs.): Geological Society of America, South-Central Section, Abstracts with Programs, v. 28, no. 1, p. 68–69.
- White, W. A., and Paine, J. G., 1992, Wetland plant communities, Galveston Bay System: Galveston Bay National Estuary Program, Publication GBNEP-16, 124 p.

- White, W. A., and Tremblay, T. A., 1995, Submergence of wetlands as a result of human-induced subsidence and faulting along the upper Texas Gulf Coast: Journal of Coastal Research, v. 11, no. 3, p. 788–807.
- White, W. A., Tremblay, T. A., and Wermund, E. G., 1994, Marsh loss in the Galveston Bay system, Texas (abs.), *in* Wetlands: local functions, global dependence: Society of Wetland Scientists, 15th annual meeting, p. 53–54.
- White, W. A., Wermund, E. G., and Kerr, R. S., 1976, Resource capability units, *in* Final report on methodology to evaluate alternative management policies: application in the Texas Coastal Zone: The University of Texas at Austin, Division of Natural Resources and Environment, v. 2, section C, 170 p.
- White, W. A., Tremblay, T. A., Wermund, E. G., and Handley, L. R., 1993, Status and trends of wetlands and aquatic habitats, Galveston Bay system, Texas, *in* Proceedings, The Second State of the Bay Symposium: Galveston Bay National Estuary Program, GBNEP-23, p. 201–205.
- White, W. A., Tremblay, T. A., Wermund, E. G., Jr., and Handley, L. R., 1993, Trends and status of wetland and aquatic habitats in the Galveston Bay System, Texas: The University of Texas at Austin, Bureau of Economic Geology, report prepared for the Galveston Bay National Estuary Program under interagency contract no. IAC(92-93)-0660, 225 p.
- White, W. A., Tremblay, T. A., Wermund, E. G., and Handley, L. R., 1993, Trends and status of wetland and aquatic habitats in the Galveston Bay system, Texas: Galveston Bay National Estuary Program, GBNEP-31, 225 p.
- White, W. A., Morton, R. A., Kerr, R. S., Kuenzi, W. D., and Brogden, W. B., 1978, Land and water resources, environmental changes, and dune criticality, Mustang and north Padre Islands, Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 92, 46 p.
- White, W. A., Calnan, T. R., Morton, R. A., Kimble, R. S., and Littleton, T. G., 1984 [1986], State submerged lands of Texas—sediments, geochemistry, benthic macroinvertebrates, and associated wetlands, *in* Magoon, O. T., and others, Coastal zone '83: 3rd Symposium on Coastal and Ocean Management, postconference volume, p. 1–17.
- White, W. A., Calnan, T. R., Morton, R. A., Kimble, R. S., Littleton, T. G., McGowen, J. H., and Nance, H. S., 1988, Submerged lands of Texas, Bay City–Freeport area: sediments, geochemistry, benthic macroinvertebrates, and associated wetlands: The University of Texas at Austin, Bureau of Economic Geology Special Publication, 130 p.
- White, W. A., Calnan, T. R., Morton, R. A., Kimble, R. S., Littleton, T. G., McGowen, J. H., and Nance, H. S., 1987, Submerged lands of Texas, Beaumont–Port Arthur area: sediments, geochemistry, benthic macroinvertebrates, and associated wetlands: The University of Texas at Austin, Bureau of Economic Geology Special Publication, 110 p.
- White, W. A., Calnan, T. R., Morton, R. A., Kimble, R. S., Littleton, T. G., McGowen, J. H., Nance, H. S., and Schmedes, K. E., 1983, Submerged lands of Texas, Corpus

- Christi area: sediments, geochemistry, benthic macroinvertebrates, and associated wetlands: The University of Texas at Austin, Bureau of Economic Geology Special Publication, 154 p.
- White, W. A., Calnan, T. R., Morton, R. A., Kimble, R. S., Littleton, T. G., McGowen, J. H., and Nance, H. S., 1989, Submerged lands of Texas, Kingsville area: sediments, geochemistry, benthic macroinvertebrates, and associated wetlands: The University of Texas at Austin, Bureau of Economic Geology Special Publication, 137 p.
- White, W. A., Calnan, T. R., Morton, R. A., Kimble, R. S., Littleton, T. G., McGowen, J. H., and Nance, H. S., 1989, Submerged lands of Texas, Port Lavaca area: sediments, geochemistry, benthic macroinvertebrates, and associated wetlands: The University of Texas at Austin, Bureau of Economic Geology Special Publication, 165 p.
- White, W. A., and Morton, R. A., 1987, Historical shoreline changes in San Antonio, Espiritu Santo, and Mesquite Bays, Texas Gulf Coast: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 87-1, 41 p.
- White, W. A., Calnan, T. R., Morton, R. A., Kimble, R. S., Littleton, T. G., McGowen, J. H., and Nance, H. S., 1986, Submerged lands of Texas, Brownsville–Harlingen area: sediments, geochemistry, benthic macroinvertebrates, and associated wetlands: The University of Texas at Austin, Bureau of Economic Geology Special Publication, 138 p.
- Wilkinson, B. H., 1975, Matagorda Island, Texas. the evolution of a Gulf Coast barrier complex: Geological Society of America Bulletin, v. 86, p. 959-967.

Studies of Ancient Deltas and Other Environments

- Ambrose, W. A., 1983, Aggraded fluvial and tide-dominated deltaic deposits of the Spoon Formation (Pennsylvanian) in the Southern Illinois Basin; a shallow embayment: The University of Texas at Austin, Master's thesis.
- Ambrose, W. A., 1990, Facies heterogeneity and brine-disposal potential of Miocene barrierisland, fluvial, and deltaic systems: examples from Northeast Hitchcock and Alta Loma fields, Galveston County, Texas: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 90-4, 35 p.
- Ambrose, W. A., and Jackson, T. J., 1987, Fluid injection potential of Miocene barrier-island and wave-dominated deltaic sands in the Northeast Hitchcock and Alta Loma fields, Galveston County, Texas (abs.): Society of Economic Paleontologists and Mineralogists, Annual Midyear Meeting, Abstracts Volume 4, p. 3-4.
- Ambrose, W. A., and Tyler, Noel, 1984, Regional distribution of wave- and fluvial-dominated deltaic deposits of Olmos Formation (Upper Cretaceous) in Maverick Basin, southwest Texas (abs.): AAPG Bulletin, v. 68, p. 448.
- Ambrose, W. A., Ferrer, E. R., Dutton, S. P., Padron, Antonio, Wang, F. P., Yeh, J. S., Carrasquel, Williams, and Tyler, Noel, 1994, Production optimization through characterization of tide-dominated deltaic reservoirs of the lower Misoa Formation (lower Eocene), LL-652 area, Lagunillas field, Maracaibo Basin, Venezuela (abs.), *in* AAPG Annual Convention official program: analogs for the world: Denver, American Association of Petroleum Geologists, p. 93.
- Ambrose, W. A., Ferrer, E. R., Dutton, S. P., Wang, F. P., Padron, Antonio, Carrasquel, Williams, Yeh, J. S., and Tyler, Noel, 1995, Production optimization of tide-dominated deltaic reservoirs of the lower Misoa Formation (Lower Eocene), LL-652 area, Lagunillas Field, Lake Maracaibo, Venezuela: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 226, 46 p.
- Ambrose, W. A., Hamilton, D. S., Holtz, M. H., Anthony, D. P., Tadiar, A. P., and Chamalaun, M. E., 1996, Depositional architecture of lacustrine-delta and fluvial systems of the Permian Epsilon and Tolachee Formations at Dullingari field, southeastern Cooper Basin, South Australia (abs.): AAPG annual convention, v. 5, p. 3.
- Barratt, J. C., 1982, Fales Member (Upper Cretaceous) deltaic and shelf bar complex, Central Wyoming: The University of Texas at Austin, Master's thesis.
- Barton, M. D., 1994, Outcrop characterization of architecture and permeability structure in fluvial-deltaic sandstones, Cretaceous Ferron Sandstone, Utah: The University of Texas at Austin Ph.D. dissertation, 262 p.
- Barton, M. D., Tyler, Noel, and Fisher, R. S., 1996, Landward to seaward variation in heterogeneity style in a distributary-channel and mouth-bar facies tract, Ferron Sandstone,

- Utah, in Johnson, K. S., ed., Deltaic reservoirs in the southern Midcontinent, 1993 symposium; proceedings: Oklahoma Geological Survey Circular, p. 236-239.
- Becker, M. R., 1996, Sedimentologic architecture, permeability structure, and fractal characteristics of braided fluvial deposits, Cretaceous Açu Formation, Potiguar Basin, NE Brazil: The University of Texas at Austin, Ph.D. dissertation.
- Brewton, J. G., 1992, Facies architecture, petrophysical attributes, and compartmentalization of oil reservoirs within complex shorezone/deltaic systems in the Upper Wilcox at the Lake Creek field, Montgomery County, Texas: The University of Texas at Austin, Master's thesis.
- Brown, L. F., Jr., 1969, Geometry and distribution of fluvial and deltaic sandstones (Pennsylvanian and Permian), North-Central Texas: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 69-4, 24 p.
- Brown, L. F., Jr., 1969, North Texas (Eastern Shelf) Pennsylvanian delta systems, *in* Fisher, W. L., and others, Delta systems in the exploration for oil and gas: a research colloquium: The University of Texas at Austin, Bureau of Economic Geology, p. 40-53.
- Brown, L. F., Jr., 1971, Virgil and Wolfcamp fluvial, deltaic, and interdeltaic embayment depositional systems in North and West-Central Texas: AAPG Bulletin, v. 55, no. 1, p. 151-152.
- Brown, L. F., Jr., 1979, Deltaic sandstone facies of the mid-continent, *in* Hyne, N. J., ed., Pennsylvanian sandstones of the Mid-Continent: Tulsa Geological Society, p. 35-63.
- Brown, L. F., Jr., and Galloway, W. E., 1971, Recognition of fluvial and deltaic sandstones of Pennsylvanian and Permian ages in north-central Texas (abs.): AAPG Bulletin, v. 55, p. 332.
- Brown, L. F., Jr., and Goodson, J. L., 1969, Sedimentary versus contemporaneous tectonic control of fluvial-deltaic deposition (abs.): Geological Society of America Abstracts with Programs, pt. 2, p. 4.
- Brown, L. F., Jr., Cleaves, A. W., and A. W. Erxleben, A. W., 1974, Deltaic systems within evolving foreland and cratonic basins, North-Central Texas: AAPG and Society of Economic Paleontologists and Mineralogists, Annual Meeting Abstracts, v. 1, p. 12-13.
- Coxe, C. L., 1981, Pennsylvanian (Lower Desmoinesian) fluvial-deltaic depositional systems in the Taos Trough, Northern New Mexico: The University of Texas at Austin, Master's thesis.
- Desselle, B. A., 1996, OLP.1; Frio-Anahuac progradational distal delta-front sandstone; Mustang Island area, *in* Seni, S. J., and others eds., Atlas of northern Gulf of Mexico gas and oil reservoirs; Volume 1, Miocene and older reservoirs, p. 15-16.

- Duncan, E. A., 1983, Delineation of delta types: Norias delta system, Frio Formation, south Texas: Gulf Coast Association of Geological Societies Transactions, v. 33, p. 269-273.
- Duncan, E. A., 1987, Delineation of delta types, Norias Delta System, Frio Formation, South Texas: The University of Texas at Austin, Master's thesis.
- Dutton, S. P., 1977, Diagenesis and porosity distribution in deltaic sandstone, Strawn Series (Pennsylvanian), North-Central Texas: Gulf Coast Association of Geological Societies Transactions, v. 27, p. 272–277.
- Dutton, S. P., 1979, Alternating clastic-carbonate deposition in fan delta systems, Lower Pennsylvanian, Palo Duro Basin: Geological Society of America Abstracts with Programs, v. 11, no. 2, p. 146-147.
- Dutton, S. P., 1979, Pennsylvanian fan-delta sandstones, Palo Duro Basin, Texas (abs.): AAPG Bulletin, v. 63, no. 11, p. 2116.
- Dutton, S. P., 1979, Pennsylvanian fan delta sandstones of the Palo Duro Basin, Texas, *in* Hyne, J. C., ed., Pennsylvanian sandstones of the Mid-continent: Tulsa Geological Society Special Publication. 1, p. 235-245.
- Dutton, S. P., 1982, Pennsylvanian fan-delta and carbonate deposition, Mobeetie field, Texas Panhandle: AAPG Bulletin, v. 66, p. 389-407.
- Dutton, S. P., 1986, Diagenetic history of Pennsylvanian fan-delta arkosic sandstones, Anadarko Basin: geochemistry, paleohydrology, and reservoir quality (abs.): AAPG Bulletin, v. 70, no. 11, p. 1760–1761.
- Dutton, S. P., Hamlin, H. S., and Laubach, S. E., 1995, Geologic controls on reservoir properties of low-permeability sandstone, Frontier Formation, Moxa Arch, southwestern Wyoming: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 234, 89 p.
- Dutton, S. P., Gardner, M. H., and Willis, B. J., 1995, Characterization of heterogeneity style and permeability structure in fluvial-deltaic reservoirs deposited in a low-accommodation setting (abs.): American Association of Petroleum Geologists Bulletin, v. 79, no. 8, p. 1209.
- Edwards, M. B., 1980, The Live Oak delta complex: an unstable, shelf-edge delta in the deep Wilcox trend of South Texas: Gulf Coast Association of Geological Societies Transactions, v. 30, p. 71-79.
- Edwards, M. B., 1981, Upper Wilcox Rosita delta system of South Texas; growth-faulted shelf-edge deltas: AAPG Bulletin, v. 65; no. 1, p. 54-73.
- Fisher, W. L., 1968, Basic delta systems in the Eocene of the Gulf Coast Basin: Gulf Coast Association of Geological Societies Transactions, v. 18, p. 48, and American Association of Petroleum Geologists Bulletin, v. 42, p. 18-26.

- Fisher, W. L., 1970, Ancient delta systems of the Gulf of Mexico Basin (abs.): AAPG Bulletin, v. 54, pt. 1, p. 1468-1469.
- Galloway, W. L., 1985, Depositional and structural architecture of prograding clastic continental margins (abs.): AAPG Bulletin, v. 69, no. 11, p. 2044-2045.
- Galloway, W. E., and Cheng, E-S, 1985, Reservoir facies architecture in a microtidal barrier system–Frio Formation, Texas Gulf Coast: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 144, 36 p.
- Galloway, W. E., Jirik, L. A., Morton, R. A., and DuBar, J. R., 1986, Lower Miocene (Fleming) depositional episode of the Texas Coastal Plain and continental shelf: structural framework, facies, and hydrocarbon resources: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 150, 50 p.
- Gardner, M. H., Barton, M. D., Tyler, Noel, and Fisher, R. S., 1992, Architecture and permeability structure of fluvial-deltaic sandstones, Ferron Sandstone, east-central Utah, *in* Flores, R. M., ed., Field guidebook; Mesozoic of the Western Interior; SEPM 1992 theme meeting., p. 5-19.
- Gardner, M. H., Barton, M. D., Willis, B. J., Tyler, Noel, and Dutton, S. P., 1995, Outcrop characterization of stratal architecture and permeability structure in deltaic-reservoir analogs (abs.), *in* Quantification and modelling of spatial patterns in permeable rocks: IMA conference program: Scarborough, England, The Institute of Mathematics and Its Applications, unpaginated.
- Gomez Garcia, R., 1995, Depositional system analysis of C-6-X and C-7-X members of Misoa Formation, Bachaquero Suroeste field, Lake Maracaibo, Venezuela: The University of Texas at Austin, Master's thesis.
- Hamlin, H. S., Dutton, S. P., Tyler, Noel, Yeh, J. S., Seggie, R. J., Lansom, Peter, and Asquith, G. B., 1994, Resource optimization through facies-based characterization of a braid-delta sandstone reservoir, Tirrawarra oil field, Cooper Basin, South Australia (abs.), in AAPG Annual Convention official program: analogs for the world: Denver, AAPG, p. 162.
- Hamlin, H. S., Dutton, S. P., Seggie, R. J., Tyler, Noel, and Yeh, J. S., 1995, Flow-unit characterization and recovery optimization of a braid-delta sandstone reservoir, Tirrawarra oil field, South Australia: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 231, 44 p.
- Hamlin, H. S., Dutton, S. P., Seggie, R. J., and Tyler, Noel, 1996, Depositional controls on reservoir properties in a braid-delta sandstone, Tirrawarra oil field, South Australia: AAPG Bulletin, v. 80, no. 2, p. 139-156.
- Han, J. H., and Scott, A. J., 1981, Relationship of syndepositional structures and deltas, Vicksburg Formation (Oligocene), South Texas: Society of Economic Paleontologists and

- Mineralogists, Gulf Coast Section, Second Annual Research Conference, Program and Abstracts, p. 33-40.
- Handford, C. R., 1979, Depositional history and diagenesis of high-constructive delta systems (Wolfcampian), southeastern Palo Duro Basin, Texas, in Hyne, N. J., ed., Pennsylvanian sandstones of the Mid-Continent: Tulsa Geological Society Special Publication 1, p. 247-258.
- Handford, C. R., 1979, Depositional history of high-constructive delta systems (Wolfcampian), southeastern Palo Duro Basin, Texas (abs.): AAPG Bulletin, v. 63, no. 11, p. 2116-2117.
- Handford, C. R., 1980, Lower Permian facies of the Palo Duro Basin, Texas: depositional systems, shelf-margin evolution, paleogeography, and petroleum potential: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 102, 31 p.
- Handford, C. R., 1987, Turkana Grits-a Cretaceous braided alluvial system in northern Kenya (abs.): AAPG Bulletin, v. 71, p. 564.
- Handford, C. R., and Dutton, S. P., 1979, Exploration potential of Pennsylvanian-Permian carbonate shelf margins and deltaic sandstones, Palo Duro Basin, Texas (abs.): AAPG Bulletin, v. 63, p. 461.
- Handford, C. R., and Dutton, S. P., 1980, Pennsylvanian-Early Permian depositional systems, shelf-margin evolution, paleogeography, and petroleum potential: AAPG Bulletin, v. 64, p. 88-106.
- Hardage, B. A., Carr, D., L., Finley, R. J., Tyler, Noel, and Lancaster, D. E., 1995, Secondary natural gas recovery; targeted applications for infield reserve growth in Midcontinent reservoirs, Boonsville Field, Fort Worth Basin, Texas; Topical report, May 1993-June 1995: The University of Texas at Austin, Bureau of Economic Geology contract report DOE/MC/25031-5097, 509 p.
- Hardage, B. A., Simmons, J. L., Jr., Lancaster, D. E., Elphick, R. Y., Edson, R. D., Carr, D. L., and Pendleton, V. M., 1996, Boonsville 3-D seismic data set: The University of Texas at Austin, Bureau of Economic Geology, 40-p. text, 2 disks, 1 tape.
- Hobday, D. K., and Perkins, B. F., 1980, Paleoenvironments and trace fossils of a large aggrading delta margin embayment: Upper Woodbine Formation of northeast Texas: Gulf Coast Association of Geological Societies Transactions, v. 30, p. 131-142.
- Hobday, D. K., Morton, R. A., and Collins, E. W., 1979, The Queen City Formation in the East Texas embayment: a depositional record of riverine, tidal, and wave interaction: Gulf Coast Association of Geological Societies Transactions, v. 29, p. 136–146. *Reprinted as* Bureau of Economic Geology Geological Circular 80-14, 11 p.
- Holtz, M. H., 1992, Resource assessment of nonassociated gas production in fluvial-dominated deltaic reservoirs, Texas, in Tyler, Noel, and others, Characterization of oil and

- gas reservoir heterogeneity: The University of Texas at Austin, Bureau of Economic Geology final report prepared for the U.S. Department of Energy, Assistant Secretary for Fossil Energy, DOE/BC/14403-3, Chapter 5, p. 117-131.
- Holtz, M. H., and McRae, L. E., 1995, Identification and assessment of remaining oil resources in the Frio fluvial-deltaic sandstone play, South Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 227, 46 p.
- Holtz, M. H., McRae, L. E., and Tyler, Noel, 1994, Identification of remaining oil resource potential in the Frio fluvial/ deltaic sandstone play, South Texas: The University of Texas at Austin, Bureau of Economic Geology contract report DOE/BC/14959-8, 67 p.
- Holtz, M. H., Knox, P. R., Hardage, B. A., Paine, J. G., and White, Gerry, 1996, New oil from old fields: identifying opportunities for reserve-growth potential in mature fields of the Frio fluvial/deltaic sandstone play, Vicksburg fault zone: Houston Geological Society Continuing Education Short Course Guidebook, Bureau of Economic Geology, unpaginated.
- Kaiser, W. R., Paine, J. G., and Tweedy, S. W., 1996, Evaluation of contamination and remediation, Manvel Saltwater Disposal Site, Brazoria County, Texas: The University of Texas at Austin, Bureau of Economic Geology, final technical report prepared for the Railroad Commission of Texas under Interagency Contract No. 96-0050, 94 p.
- Knox, P. R., 1996, Accommodation-based controls on fluvial-deltaic reservoir compartmentalization; examples from the Oligocene Frio Formation, South Texas (abs.): AAPG annual convention, v. 5, p. 76.
- Knox, P. R., 1996, Determining between-well reservoir architecture in deltaic sandstones using only well data; Oligocene Frio Formation, Tijerina-Canales-Blucher Field, South Texas (abs.): AAPG Bulletin, v. 80, no. 9, p. 1506.
- Knox, P. R., and McRae, L. E., 1995, Application of sequence stratigraphy to the prioritization of incremental growth opportunities in mature reservoirs; an example from Frio fluvial-deltaic sandstones, T-C-B Field, South Texas: Gulf Coast Association of Geological Societies Transactions, v. 45, p. 341-350.
- Knox, P. R., Holtz, M. H., Paine, J. G., Scott, A. R., Asquith, G. B., and Hardage, B. A., 1996, New oil from old fields: identifying opportunities for reserve-growth potential in mature fields of the Frio fluvial/deltaic sandstone play, Vicksburg fault zone: South Texas Geological Society Continuing Education Program Short Course Guidebook, Bureau of Economic Geology, unpaginated.
- Knox, P. R., Holtz, M. H., McRae, L. E., Hentz, T. F., Paine, J. G., White, W. G., and Chang, C.-Y., 1996, Revitalizing a mature oil play: strategies for finding and producing unrecovered oil in Frio fluvial-deltaic sandstone reservoirs of South Texas: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for U.S. Department of Energy, Bartlesville Project Office, under contract no. DE-FC22-93BC14959, 178 p.

- Land, L. S., and Dutton, S. P., 1978, Cementation of a Pennsylvanian deltaic sandstone: isotopic data: Journal of Sedimentary Petrology, v. 48, p. 1167–1176. Also printed in Society of Economic Paleontologists and Mineralogists Reprint Series No. 9, p. 166–175.
- Langford, R. P., and Combes, J. M., 1994., Depositional environments of unstable shelf-margin deltas of the Oligocene Vicksburg Formation, McAllen Ranch field, South Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 219, 60 p.
- Leon Rodriguez, P. J., 1997, Seismic and geological characterization of the Middle Eocene Misoa Formation, Centro Lago field, Maracaibo Basin, Venezuela: The University of Texas at Austin, Master's thesis.
- Levey, R. A., Sippel, M. A., Langford, R. P., and Finley, R. J., 1992, Stratigraphic compartmentalization within gas reservoirs: examples from fluvial-deltaic reservoirs of the Texas Gulf Coast: Gulf Coast Association of Geological Societies Transactions, v. 42, p. 227-235.
- Levey, R. A., Hardage, B. A., Edson, R. D., and Pendleton, V. M., 1994, 3-D seismic and well log data set: fluvial reservoir systems—Stratton field, South Texas: The University of Texas at Austin, Bureau of Economic Geology, 30-p. text, 1 disk, 1 tape.
- Levey, R. A., Finley, R. J., and Sippel, M. A., 1994, Quantifying secondary gas resources in fluvial/deltaic reservoirs: a case history from Stratton field, South Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 221, 38 p.
- McRae, L. E., and Holtz, M. H., 1995, Reservoir architecture and permeability characteristics of fluvial-deltaic sandstone reservoirs, Frio Formation, Rincon Field, South Texas (abs.): AAPG Annual Meeting, Abstracts, v. 4, p. 64.
- McRae, L. E., and Holtz, M. H., 1995, Strategies for optimizing incremental recovery from mature reservoirs in Oligocene Frio fluvial-deltaic sandstones, Rincon Field, South Texas: Gulf Coast Association of Geological Societies Transactions, v. 45, p. 423-433.
- McRae, L. E., Holtz, M. H., and Knox, P. R., 1994, Revitalizing a mature oil play; strategies for finding and producing unrecovered oil in Frio fluvial-deltaic reservoirs of South Texas; Annual report, October 1992-October 1993: The University of Texas at Austin, Bureau of Economic Geology contract report DOE/BC/14959-5, 99 p.
- Meckel, L. D., 1993, Stratigraphy and sedimentology of the Eocene Yegua Formation, Texas Gulf Coast: The University of Texas at Austin, Master's thesis.
- Morton, R. A., 1980, Fluvial, deltaic, and strandplain environments, *in* Middle Eocene coastal plain and nearshore deposits of East Texas, a field guide to the Queen City Formation and related papers: Society of Economic Paleontologists and Mineralogists Spring Field Trip, May 10–11, 1980, p. 80–85.

- Morton, R. A., 1991, Contrasting styles of Late Neogene deep-water sandstone deposition, offshore Texas, *in* Miall, A. D., and Tyler, Noel, eds., The three-dimensional facies architecture of terrigenous clastic sediments, and its implications for hydrocarbon discovery and recovery: Society of Economic Paleontologists and Mineralogists (Society for Sedimentary Geology), v. 3, Concepts in Sedimentology and Paleontology, p. 288–295.
- Morton, R. A., 1991, Geologic framework and depositional history of the southeastern Texas coast, in Coastal Sediments '91: American Society of Civil Engineers, p. 1069–1081.
- Morton, R. A., and Nummedal, Dag, eds., 1989, Shelf sedimentation, shelf sequences, and related hydrocarbon accumulation: Gulf Coast Section, Society of Economic Paleontologists and Mineralogists Foundation 7th Annual Research Conference Proceedings, 211 p.
- Morton, R. A., Ewing, T. E., and Tyler, Noel, 1983, Continuity and internal properties of Gulf Coast sandstones and their implications for geopressured fluid production: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 132, 70 p.
- Morton, R. A., Jirik, L. A., and Foote, R. O., 1985, Depositional history, facies analysis, and production characteristics of hydrocarbon-bearing sediments, offshore Texas: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 85-2, 31 p. (*Also serves as* final contract report for the Minerals Management Service and the U.S. Geological Survey, U.S. Department of the Interior, under contract nos. 14-08-0001-G-666 and 14-12-0002-40029.)
- Morton, R. A., Jirik, L. A., and Galloway, W. E., 1988, Middle-Upper Miocene depositional sequences of the Texas Coastal Plain and Continental Shelf: geologic framework, sedimentary facies, and hydrocarbon plays: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 174, 40 p. plus appendices.
- Morton, R. A., Sams, R. H., and Jirik, L. A., 1991, Plio-Pleistocene depositional sequences of the southeastern Texas continental shelf and slope: geologic framework, sedimentary facies, and hydrocarbon distribution: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 200, 80 p., 3 pl.
- Neuberger, D. J., 1987, Swastika (Upper Pennsylvanian) shelf-margin deltas and delta-fed turbidites, Flowers "Canyon Sand Field" area: The University of Texas at Austin, Master's thesis.
- Oribio Quintana, R., 1997, Reservoir architecture and reserve growth potential of Miocene fluvial-deltaic deposits, Bachaquero field, Maracaibo Basin: The University of Texas at Austin, Master's thesis.
- Paine, J. G., Morton, R. A., and White, W. A., 1989, Preliminary assessment of nonfuel minerals on the Texas continental shelf, *in* Proceedings: Ninth Annual Gulf of Mexico Information Transfer Meeting, October 1988: New Orleans, U.S. Department of the Interior, Minerals Management Service, prepared under MMS contract no. 14-12-0001-30305, OCS Study/MMS 89-0060, p. 111-115.

- Payne, J. B., 1982, Anastomosing and meandering fluvial systems, Mesaverde Group (Campanian), northwestern Colorado: The University of Texas at Austin, Master's thesis.
- Peterson, S. J., 1977, Diagenesis and porosity distribution in deltaic sandstone, Strawn Series (Pennsylvanian), North-Central Texas: The University of Texas at Austin, Master's thesis, 148 p.
- Price, W. A., 1936, Hurricanes, deltas, and resacas (abs.): Texas Academy of Science, Transactions and Proceedings 1934-35, v. 19, p. 30-31.
- Price, W. A., 1938, Geology of the Rio Grande delta, Texas and Mexico, interpreted by geomorphology and soils (abs.): Oil and Gas Journal, v. 36, p. 71.
- Price, W. A., 1939. Physiographic mapping of Quaternary formations in Rio Grande Delta (abs.): AAPG Bulletin, v. 23, p. 1975-1976.
- Richmann, D. L., Milliken, K. L., Loucks, R. G., and Dodge, M. M., 1980, Mineralogy, diagenesis, and porosity in Vicksburg Sandstone, McAllen Ranch field, Hidalgo County, Texas: Gulf Coast Association of Geological Societies Transactions, v. 30, p. 473-481.
- Seni, S. J., and Choh, S. J., 1994, Targeted secondary recovery of hydrocarbons from barrier-bar and tidal-channel facies, Jackson Group, Prado field, South Texas: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 94-2, 47 p.
- Sippel, M. A., and Levey, R. A., 1991, Gas reserve growth analysis of fluvial-deltaic reservoirs in the Stratton field, onshore Texas Gulf Coast Basin: Society of Petroleum Engineers, SPE paper 22919, p. 337-344.
- Tewalt, S. J., Bauer, M. A, and Mathew, D., 1982, Detailed evaluation of two Texas lignite deposits of deltaic and fluvial origins: The University of Texas at Austin, Bureau of Economic Geology Geological Circular 82-2, 12 p.
- Thompson, S. L., 1985, Ferron Sandstone Member of the Mancos Shale: a Turonian mixed-energy deltaic system: The University of Texas at Austin, Master's thesis.
- Tyler, Noel, and Ambrose, W. A., 1985, Facies architecture and production characteristics of a wave-dominated deltaic reservoir, Big Wells field, southern Texas (abs.): AAPG Bulletin, v. 69, p. 313.
- Tyler, Noel, and Ambrose, W. A., 1986, Facies architecture and production characteristics of strandplain reservoirs on north Markham-north Bay City field, Frio Formation, Texas: AAPG Bulletin, v. 70, p. 809-829.

- Tyler, Noel, and Ambrose, W. A., 1986, Depositional systems and oil and gas plays in the Cretaceous Olmos Formation, South Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 152, 42 p.
- Tyler, Noel, and Dutton, S. P., 1994, Revitalizing a mature oil play; strategies for finding and producing unrecovered oil in Frio fluvial-deltaic reservoirs of South Texas; technical progress report, April 1, 1994-June 30, 1994: The University of Texas at Austin, Bureau of Economic Geology contract report DOE/BC/14959-9, 12 p.
- Tyler, Noel, and Levey, R. A., 1995, Revitalizing a mature oil play; strategies for finding and producing unrecovered oil in Frio fluvial-deltaic reservoirs of south Texas; technical progress report, January 1, 1995-March 31, 1995: The University of Texas at Austin, Bureau of Economic Geology contract report DOE/BC/14959-12, 9 p.
- Weise, B. R., 1979, Wave-dominated deltaic systems of the Upper Cretaceous San Miguel Formation, Maverick Basin, South Texas: The University of Texas at Austin, Master's thesis.
- Weise, B. R., 1980, Wave-dominated deltas systems of the Upper Cretaceous San Miguel Formation, Maverick Basin, South Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 107, 39 p.
- Wermund, E. G., and Jenkins, W. A., Jr., 1970, Recognition of deltas by fitting trend surfaces to Upper Pennsylvanian sandstone in north-central Texas, *in* SEPM Special Publication No. 15, p. 256-269.
- Willis, B. J., Bhattacharya, J. P., White, C. D., Dutton, S. P., and Gabel, S. L., 1997, Lowstand deltas in the Late Cretaceous Frontier Formation of central Wyoming: The University of Texas at Austin, Bureau of Economic Geology, Deltas Industrial Associates Field Trip Guidebook, 84 p.
- Xue, L., and Galloway, W. E., 1993, Genetic sequence stratigraphic framework, depositional style, and hydrocarbon occurrence of the Upper Cretaceous QYN Formations in the Songliao lacustrine basin, northeastern China: AAPG Bulletin, v. 77, p. 1792-1808